

=====

Sequence Listing could not be accepted due to errors.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Durreshwar Anjum

Timestamp: [year=2009; month=3; day=10; hr=9; min=22; sec=1; ms=180; ]

=====

\*\*\*\*\*

Reviewer Comments:

<210> 1

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> misc\_feature

<222> 1..60

<223> DNA Probe where bound section is formed by nucleotides at free 5' end and fixed 3' end

CDSJoin : No

<400> 1

ntattnaat nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn ngtttaatn

60

A mandatory feature is required to cover every "n" used in a sequence. SEQ ID # 1 through 7 does not have a feature to cover the "n" . Please make all necessary changes.

\*\*\*\*\*

Application No: 10516553

Version No: 1.0

## Input Set:

## Output Set:

Started: 2009-02-27 16:50:06.267  
Finished: 2009-02-27 16:50:07.343  
Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 76 ms  
Total Warnings: 7  
Total Errors: 7  
No. of SeqIDs Defined: 7  
Actual SeqID Count: 7

| Error code | Error Description   |
|------------|---|
| W 213      | Artificial or Unknown found in <213> in SEQ ID (1)                                    |
| E 224      | <220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (1) |
| W 213      | Artificial or Unknown found in <213> in SEQ ID (2)                                    |
| E 224      | <220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (2) |
| W 213      | Artificial or Unknown found in <213> in SEQ ID (3)                                    |
| E 224      | <220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (3) |
| W 213      | Artificial or Unknown found in <213> in SEQ ID (4)                                    |
| E 224      | <220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (4) |
| W 213      | Artificial or Unknown found in <213> in SEQ ID (5)                                    |
| E 224      | <220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (5) |
| W 213      | Artificial or Unknown found in <213> in SEQ ID (6)                                    |
| E 224      | <220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (6) |
| W 213      | Artificial or Unknown found in <213> in SEQ ID (7)                                    |
| E 224      | <220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (7) |

<110> Tadaaki Yabubayashi et al

<120> Method for Detecting Biochemical Reactant Biochip

<130> FUJ00682P00820US

<140> 10516553

<141> 2009-02-27

<150> PCT/JP03/06791

<151> 2003-05-29

<160> 7

<210> 1

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> misc\_feature

<222> 1..60

<223> DNA Probe where bound section is formed by nucleotides at free 5' end and fixed 3' end  
CDSJoin : No

<400> 1

ntatTTaaat nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn ntGTTTaaATN

60

<210> 2

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> misc\_feature

<222> 1..60

<223> DNA Probe where bound section is formed by nucleotides at free 5' end and fixed 3' end  
CDSJoin : No

<400> 2

ntatTTaaaa aNNNNNNNNN nNNNNNNNNN nNNNNNNNNN nNNNNNNNNN ntGTTTaaATN

60

<210> 3

<211> 60

<212> RNA

<213> Artificial Sequence

<220>

<221> misc\_feature

<222> 1..60

<223> RNA Probe where sequence of pairing nucleotides is in the middle of probe RNA  
CDSJoin : No

<400> 3

nuauuuuuaaa aunnNNNNNN nNNNNNNNNN nNNNNNNNNN aauuuuuaaa nNNNNNNNaun

60

<210> 4  
<211> 60  
<212> RNA  
<213> Artificial Sequence  
<220>  
<221> misc\_feature  
<222> 1..60  
<223> RNA Probe where sequence of pairing nucleotides is in the middle of probe RNA  
CDSJoin : No

<400> 4  
nuauuuuaaaa aunnnnnnnn nnnnnnnnnn nnnnnnnnnn aaauuuuaaaa nnnnnnnnaun 60

<210> 5  
<211> 60  
<212> RNA  
<213> Artificial Sequence  
<220>  
<221> misc\_feature  
<222> 1..60  
<223> RNA Probe where sequence of pairing nucleotides is in the middle of probe RNA  
CDSJoin : No

<400> 5  
nnnnnnnuauu uaaaaaunnn nnnnnnnnnn nnnnnnnnnn aaauuuuaaaa nnnnnnnnaun 60

<210> 6  
<211> 60  
<212> RNA  
<213> Artificial Sequence  
<220>  
<221> misc\_feature  
<222> 1..60  
<223> RNA Probe where sequence of pairing nucleotides is in the middle of probe RNA  
CDSJoin : No

<400> 6  
nnnnnnnuauu uaaaaaunnn nnnnnnnnnn nnnnnnnnnn aaauuuuaaaa nnnnnnnnaun 60

<210> 7  
<211> 60  
<212> RNA  
<213> Artificial Sequence  
<220>  
<221> misc\_feature  
<222> 1..60  
<223> RNA Probe where sequence of pairing nucleotides is in the middle of probe RNA  
CDSJoin : No

<400> 7

nuauuuuaaaa aaaaaaaaaaaaa aaaaaaaaaaaaa aaaaaaaaaaaaa aaaaaaaaaaaaa

60